




DS9006

LUXURY ATX CHASSIS

PANORAMIC GLASS





1.1 ACCESSORY BOX... 3(page)

1.2 CLEARANCES AND SPECIFICATIONS... 4~5(page)



2.1 I/O AND DRIVE INSTALLATION... 7(page)

2.2 FAN AND RADIATOR SUPPORT... 8(page)

1.1 ACCESSORY BOX

DS900G

LUXURY ATX CHASSIS
PANORAMIC GLASS



Motherboard Screws X 18



Hard disk Screws X 9



Psu Screws X 6



Iron Columns X 3




Belt X 5



Fan Screws X 12





Copper Pillar Spacer X 1



PCI Slot X 7

1.2 CLEARANCES AND SPECIFICATIONS

DS900G LUXURY ATX CHASSIS
PANORAMIC GLASS



1.2 CLEARANCES AND SPECIFICATIONS

DS900G

LUXURY ATX CHASSIS
PANORAMIC GLASS



Motherboard Support

Micro ATX/ ATX

2.5"SSD Support

3(Max)

3.5"HDD Support

2(Max)

PCI Slots

7

I/O Ports

USB3.0*1/ USB2.0*2/ HD Audio/ Power / Reset

Power Supply

ATX

CPU Cooler Limit

170mm(Max)

Graphic Card Limit

425mm(Max)

Fan Support

Top : 120mm*3 / 140mm*2

Rear : 120mm*1

Side : 120mm*3

Bottom : 120mm*2(PSU) / 120mm*1(HDD Bracket)

Radiator Support



Top : 240/360mm

Side : 240mm

2.0 MOTHERBOARD AND POWER SUPPLY INSTALLATION



DS900G

LUXURY ATX CHASSIS
PANORAMIC GLASS




2.1 I/O AND DRIVE INSTALLATION

DS900G LUXURY ATX CHASSIS
PANORAMIC GLASS




2.2 FAN AND RADIATOR SUPPORT

DS900G LUXURY ATX CHASSIS
PANORAMIC GLASS



"FAN SUPPORT"





"RADIATOR SUPPORT"

2.3 EXPANSION CARD INSTALLATION


DS900G

LUXURY ATX CHASSIS
PANORAMIC GLASS



Caution

DS900G LUXURY ATX CHASSIS
PANORAMIC GLASS



To prevent damage and accidental drops, lay the chassis flat before removing the glass.

為防止損壞及意外掉落，請將機殼平放後再取下玻璃。

파손 및 낙하 사고 방지를 위해 본체를 눕혀 놓은 상태에서 유리를 분리하십시오.



www.darkflash.com

Fly to unlimited!



DARKFLASH INFOTECH CO., LTD.

www.darkflash.com | www.darkflash.co.kr



facebook.com/darkFlash.global/



instagram.com/darkflash_official/



[darkflash_official](https://youtube.com/darkflash_official)